

Incompleat TEM/GTEM Bibliography

Tim Harrington, IEC/CIS TEM JTF, rev. 12/3/98

Akiyama, Y., N. Kuwabara, T. Ideguchi, and M. Tokuda, "Evaluation of radio frequency immunity test facilities based on the scattered field of a conductive sphere," *Electronics and Communications in Japan, Part I*, vol. 79, no. 3, pp. 83-91, Mar. 1996.

Anke, D., and D. Busch, "Parallel plate antennas: field distortion caused by test objects," *IERE International Conference on Electromagnetic Compatibility*, Surrey, UK, pp. 137-144, 1984.

ANSI C63.4 *American National Standard for Methods of Measurement of Radio-Noise from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz*, American National Standards Institute, New York, draft 1998.

Arreghini, F., M. Ianoz, P. Zweiacker, D. V. Giri, and A. Tehori, "SEMIRAMIS: an asymmetrical bounded wave EMP simulator with a good confinement inside the transmission line," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 583-588, 1993.

Ari, N., D. Hansen, and H. Garbe, "Analysis and measurements of electromagnetic scattering by pyramidal absorbers," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 301-304, 1989.

Attardo, F., C. Tarantola, M. Cappio Borlino, M. Giunta, and L. Lavezzaro, "GHz TEM cell: radiated immunity test performance," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 589-593, 1993.

Audone, B., L. Bolla, G. Costa, A. Manara, and H. Pues, "Design and engineering of a large shielded semi-anechoic chamber meeting the volumetric NSA requirements at 3 and 10 m transmission length," *IEEE International Symposium on Electromagnetic Compatibility*, Dallas, TX, pp. 379-383, 1993.

Babij, T. M., "Evaluation of errors in the calibration of TEM cells," *IEEE Miami Technicon '87*, Miami, FL, pp. 199-201, 1987.

Bancroft, R., "Measurement of television direct pickup (DPU) in a GTEM cell," *IEEE International Conference on Consumer Electronics*, xx, xx, pp. 194-195, 1995.

Bao, J. -Z., J. C. Lee, Lu, S. -T., R. L. Seaman, and Y. Akyel, "Analysis of ultra-wideband pulses in a GTEM cell," in *Proceedings SPIE*, vol. 2557, pp. 237-248, 1995.

Baran, J., M. S. Frankfurth, and M. Pietranik, "Dual polarization broadband gigahertz field simulator practical application to immunity measurements," *EMC 96 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 409-413, 1996.

Belcastro, C. M., "A low-cost comprehensive process for assessing electromagnetic environment (EME) effects on flight-critical control computers," *15th Digital Avionics Systems Conference*, Atlanta, GA, pp. 443-449, 1996.

Bentz, S., "Use of the TEM cell for compliance testing of emissions and immunity, an IEC perspective," *IEEE International Symposium on Electromagnetic Compatibility*, Santa Clara, CA, pp. 43-47, 1996.

Berger, H. S., "A user's perspective on GTEM testing," *EMC Test & Design*, vol. 4, no. 12, pp. 38-43, Dec. 1993.

Berger, H. S., "A variable position, gravity down G-TEM configuration," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 465-470, 1995.

Berger, H. S., "An EMC diagnostic method for reverse modeling of a radiating source using GTEM readings," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 321-326, 1997.

Berger, H. S., "Investigation of an impedance based GTEM calibration factor," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 551-556, 1995.

Berger, H. S., "Radiated emissions test correlation between G-TEM, SAC and OATS facilities using digital phones," *IEEE International Symposium on Electromagnetic Compatibility*, Dallas, TX, pp. 295-299, 1993.

Berger, H. S., and A. Tsaliovich, "Unlicensed PCS product EMC compliance measurement rationale and alternatives," *IEEE International Symposium on Electromagnetic Compatibility*, Santa Clara, CA, pp. 396-401, 1996.

Bernhard, J. T., and W. T. Joines, "Electric field distributions in TEM waveguides versus frequency," *Journal of Microwave Power and Electromagnetic Energy*, vol. 30, no. 2, pp. 109-116, 1995.

Bittinger, W., "Limitations of open strip lines for susceptibility testing of automotive electronics," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 563-568, 1993.

Böttcher, M., F. Noack, and F. Reichert, "Numerical simulation of a GTEM-cell," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 333-338, 1997.

Braun, C., W. Graf, P. Guidi, and H. U. Schmidt, "Untersuchungen zur brauchbarkeit von TEM-wellenleiter-simulatoren als EMV-empfangsantennen," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 217-223, 1994.

Bronaugh, E. L., "Simplifying EMI immunity (susceptibility) tests in TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 488-491, 1990.

Bronaugh, E. L., "Uncertainty of the frequency spectra produced by a reference radiator," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 183-188, 1997.

Bronaugh, E. L., and J. D. M. Osburn, "Measuring antenna parameters in a GHz transverse electromagnetic (GTEM) cell," *IEEE Antennas and Propagation Society International Symposium*, Chicago, IL, pp. 2064-2066, 1992.

Bronaugh, E. L., and J. D. M. Osburn, "Measuring EMC antenna factors in the GHz transverse electromagnetic cell," *IEEE International Symposium on Electromagnetic Compatibility*, Anaheim, CA, pp. 229-231, 1992.

Bronaugh, E. L., and J. D. M. Osburn, "Radiated emissions test performance of the GHz TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Cherry Hill, NJ, pp. 1-7, 1991.

Bronaugh, E. L., and J. D. M. Osburn, "Statistical correlation requirements for determining acceptable performance of wide bandwidth TEM cells," *EMC/ESD International Conference*, Anaheim, CA, pp. 99-104, 1994.

Bronaugh, E. L., and J. D. M. Osburn, "The 'Hyper-Rotated' Gigahertz Transverse Electromagnetic Cell (G-TEM) - expanding the performance envelope" in *Euro EMC Conference*, London, England, pp. 103-105, 1993.

Broydé, F., and E. Clavelier, "Comparison of coupling mechanisms on multiconductor cables," *IEEE Transactions on Electromagnetic Compatibility*, vol. 35, no. 4, pp. 409-416, Nov. 1993.

Broydé, F., and E. Clavelier, "Definition, relevance and measurement of the parallel and axial transfer impedances," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 490-495, 1995.

Broydé, F., and E. Clavelier, "Parallel and axial transfer impedances : theoretical summary and local measurement methods," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 501-506, 1995.

Cai, X.-D., and G. I. Costache, "An engineering design approach of a triple-TEM cell using finite element method," *IEICE Transactions on Communications*, vol. E78-B, no. 2, pp. 273-278, Feb. 1995.

Cai, X.-D., and G. I. Costache, "An optimum engineering design approach of a triple-TEM cell using finite element method," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 332-335, 1994.

Cai, X.-D., and G. I. Costache, "Theoretical modeling of longitudinal variations of electric field and line impedance in TEM cells," *IEEE Transactions on Electromagnetic Compatibility*, vol. 35, no. 3, pp. 398-401, Aug. 1993.

Cai, X.-D., and G. I. Costache, "Theoretical and experimental modeling of longitudinal variations of electric field and line impedance in TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Cherry Hill, NJ, pp. 14-16, 1991.

Cai, X.-D., and J. -Y. Li, "Analysis of asymmetric TEM cell and its optimum design of electric field distribution," *IEE Proceedings Part H*, vol. 136, no. 3, pp. 191-194, June 1989.

Cameron, J. A., "The effects of induced cable currents on electric and magnetic field measurements," *IEEE International Symposium on Electromagnetic Compatibility*, Wakefield, MA, pp. 296-299, 1985.

Campbell, J. J., and W. R. Jones, "Impedance characteristics of a class of multiconductor transmission lines," *IEEE Transactions on Microwave Theory and Techniques*, vol. 17, no. 2, pp. 101-107, Feb. 1969.

Cappio Borlino, M., V. Squizzato, M. Broggi, "Immunity tests on analog telephone sets. Set-up and results related to the international normative trend," *EMC'94 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 89-92, 1994.

Carbonini, L., "A new procedure for evaluating radiated emissions from wideband TEM cell measurements," *International Conference on Electromagnetics in Advanced Applications*, Torino, Italy, pp. 133-136, 1995.

Carbonini, L. "A new TEM cell: test results up to 3 GHz and a comparison to alternative solutions," *ITEM Update 1997*, R&B Enterprises, pp. 31-32,34,36-40, 1997.

Carbonini, L., "A new tool for immunity measurements up to 200 MHz," *EMC Test & Design*, vol. 6, no. 3, pp. 20, 23-27, Apr. 1995.

Carbonini, L., "Modal analysis of multi-connected waveguides," *IEEE Transactions on Microwave Theory and Techniques*, vol. 40, no. 4, pp. 665-671, Apr. 1992.

Carbonini, L., "A new transmission line device with double polarization capability for use in radiated EMC tests," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 327-332, 1997.

Carbonini, L., "A shielded multi-wire transmission line for susceptibility measurements with horizontally polarized electric field," *Eighth International Conference on Electromagnetic Compatibility*, Edinburgh, UK, IEE Conference Pub. No. 362, pp. 33-38, 1992.

Carbonini, L., "A transmission line device for EMI susceptibility measurements with enhanced field uniformity," *EMC 92 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 219-223, 1992.

Carbonini, L., "Comparison of analysis of a WTEM cell with standard TEM cells for generating EM fields," *IEEE Transactions on Electromagnetic Compatibility*, vol. 35, no. 2, pp. 255-263, May 1993.

Carbonini, L., and D. Tarducci, "Multi-wire transmission lines for EMC susceptibility measurements in anechoic chambers," *Second International Conference on Electromagnetics in Aerospace Applications*, Torino, Italy, pp. 115-118, 1991.

Carbonini, L., "Theoretical and experimental analysis of a multi-wire rectangularly shielded transmission line for EMC measurements," *IEEE International Symposium on Electromagnetic Compatibility*, Cherry Hill, NJ, pp. 8-13, 1991.

Casamento, J. P., and P. S. Ruggera, "Applying standardized electromagnetic compatibility testing methods for evaluating radiofrequency interference with ventilators," *Biomedical Instrumentation & Technology*, vol. xx, pp. 418-425, Sep./Oct. 1996.

Chan, W., and J. Jarem, "Coupling and scattering of a cylinder with four short dipoles in a four parallel wire system," *IEEE 1990 Southeastcon*, x, pp. 1013-1017, 1990.

Chao, F.- L., "Time domain measurement of mode characteristics in coupled microstrip lines," *IEEE International Symposium on Electromagnetic Compatibility*, Dallas, TX, pp. 226-230, 1993.

Chao, F.- L., and W.- S. Wang, "Crosstalk and electromagnetic radiation measurements of some specific cables," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 586-590, 1990.

Chen, B., J. Li, and B. Zhou, "Numerical simulation for the distribution of electric field of the versatile EMP simulator," *International Symposium on Electromagnetic Compatibility EMC '92*, Beijing, China, pp. 36-39, 1992.

Cheon, C., and V. V. Liepa, "Finite element analysis of a 4 wire antenna in a tapered [sic] anechoic chamber," *IEEE Antennas and Propagation Society International Symposium*, x, x, pp. 1236-1239, 1991.

CISPR 16-1 *Specification for radio disturbance and immunity measuring apparatus and methods, Part 1: Radio disturbance and immunity measuring apparatus*, International Electrotechnical Commission, Geneva, Switzerland, 1993.

CISPR 16-2 *Specification for radio disturbance and immunity measuring apparatus and methods, Part 2: Methods of measurement of disturbances and immunity*, International Electrotechnical Commission, Geneva, Switzerland, 1996.

Clay, S., "Improving the correlation between OATS, RF anechoic room and GTEM radiated emissions measurements for directional radiators at frequencies between approximately 150

MHz and 10 GHz," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 1119-1124, 1998.

Coenen, M., "On-chip measures to achieve EMC," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 31-36, 1997.

Colombo, U., A. Manara, and S. Peraboni, "Wire transmission line for system immunity testing," *3rd ESA European Workshop on Electromagnetic Compatibility and Computational Electromagnetics*, Pisa, Italy, pp. xx-xx, 1993.

Cooper, J. D., G. Evans, and J. T. Hudson, "Testing electricity meters for susceptibility to radio frequency interference," *International Conference on Metering and Tariffs for Energy Supply*, Brighton, UK, IEE Conference Pub. No. 426, pp. 180-189, 1996.

Crawford, M. L., "Generation of standard EM fields using TEM transmission cells," *IEEE Transactions on Electromagnetic Compatibility*, vol. 16, no. 4, pp. 189-195, Nov. 1974.

Crawford, M. L., and B. F. Riddle, "Reverberating asymmetric TEM cell for radiated EMC/V and SE testing, 10 kHz-18 GHz," *IEEE International Symposium on Electromagnetic Compatibility*, Anaheim, CA, pp. 206-213, 1992.

Crawford, M. L., and J. L. Workman, "Asymmetric versus symmetric TEM cells for EMI measurements," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 204-210, 1978.

Crawford, M. L., and J. L. Workman, "Predicting free-space radiated emissions from electronic equipment using TEM cell and open-field measurements," *IEEE International Symposium on Electromagnetic Compatibility*, Baltimore, MD, pp. 80-85, 1980.

Crawford, M. L., J. L. Workman, and C. L. Thomas, "Expanding the bandwidth of TEM cells for EMC measurements," *IEEE Transactions on Electromagnetic Compatibility*, vol. 20, no. 3, pp. 368-375, Aug. 1978.

Crawford, M. L., J. L. Workman, and C. L. Thomas, "Generation of EM susceptibility test fields using a large absorber-loaded TEM cell," *IEEE Transactions on Instrumentation and Measurement*, vol. 26, no. 3, pp. 225-230, Sep. 1977.

Daher, J. K., and J. M. Goodroe, "A radiated susceptibility test technique for PC boards implementing built-in-test or boundary scan designs," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 109-111, 1990.

D' Amico, M. M. G., "Loaded TEM cell versus free space: comparison of the E-fields inside dielectric spherical objects," *IEEE Transactions on Electromagnetic Compatibility*, vol. 41, no. 2, pp. 158-160, May 1999.

Das, B. N., and S. A. Mohan, "TEM cell in the absence of one of the walls parallel to the septum," *IEEE Transactions on Electromagnetic Compatibility*, vol. 27, no. 2, pp. 58-63, May 1985.

Das, S. K., and A. Das, "Numerical analysis of the effect of septum thickness on the characteristic impedance of an asymmetric TEM cell using method of moments," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 336-339, 1994.

Das, S. K., and B. N. Das, "Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell," *IEE Proceedings Part H*, vol. 140, no. 5, pp. 347-353, Oct. 1993.

- Das, S. K., and B. K. Sinha, "Numerical solution of higher order mode cut-off frequencies in symmetric TEM cells using finite element method," *IEEE Transactions on Electromagnetic Compatibility*, vol. 32, no. 4, pp. 264-268, Nov. 1990.
- Das, S. K., V. Venkatesan, and B. K. Sinha, "A technique of electromagnetic interference measurements with high-impedance electric and low-impedance magnetic fields inside a TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 367-369, 1990.
- Deguchi, H., M. Takabayashi, N. Miyahara, S. Makino, O. Ishida, and T. Katagi, "An analysis of multimode conical horn antennas with flare-angle changes by using generalized telegraphist's equations," *Electronics and Communications in Japan, Part 1*, vol. 80, no. 2, pp. 79-89, Feb. 1996.
- De Leo, R., G. Cerri, V. Mariani P., and P. Mezzanotte, "Evaluation of scattering in a TEM cell by the FD-TD method," *International Conference on Computation in Electromagnetics*, London, UK, IEE Conference Pub. No. 350, pp. 79-82, 1991.
- De Leo, R., A. Lobascio, and V. Mariani Primiani, "Rigorous analysis of diffraction in a TEM cell," *EMC 90 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 319-323, 1990.
- De Leo, R., L. Pierantoni, T. Rozzi, and L. Zapelli, "Dipole excitation and scattering by spherical objects in GTEM cell," *IEEE Transactions on Microwave Theory and Techniques*, vol. 42, no. 9, pp. 1700-1708, Sep. 1994.
- De Leo, R., L. Pierantoni, T. Rozzi, and L. Zapelli, "Excitation and scattering in GTEM cells," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 599-604, 1993.
- De Leo, R., L. Pierantoni, T. Rozzi, and L. Zapelli, "Wideband analytical model of the GTEM cell termination," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 607-612, 1995.
- De Leo, R., T. Rozzi, C. Svara, and L. Zapelli, "Rigorous analysis of the GTEM cell," *IEEE Transactions on Microwave Theory and Techniques*, vol. 39, no. 3, pp. 488-500, Mar. 1991.
- De Leo, R., and A. Schiavoni, "FDTD evaluation of scattering by metallic objects in GTEM cells," *IEE Proceedings Science, Measurement, and Technology*, vol. 141, no. 4, pp. 287-292, July 1994.
- De Leo, R., and A. Schiavoni, "Susceptibility measurements in open site and in guiding structures," *International Conference on Electromagnetics in Advanced Applications*, Torino, Italy, pp. 93-96, 1993.
- De Leo, R., D. Schiavoni, M. Cappio Borlino, M. Giunta, R. Pomponi, and A. Schiavoni, "FVTD evaluation of scattering by metallic objects in GHz-TEM cell," *EMC 96 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 165-169, 1996.
- Dileo, R., and M. Magid, "Correction to "Characteristic impedance of rectangular coaxial transmission lines"," *IEEE Transactions on Microwave Theory and Techniques*, vol. 32, no. 2, p. 219, Feb. 1984.
- Du, Z., J. S. Fu, and C. Ruan, "Exact solution for the characteristic impedance of rectangular coaxial cone transmission line," *IEEE Transactions on Electromagnetic Compatibility*, vol. 39, no. 3, pp. 233-235, Aug. 1997.

- Du, Z., K. Gong, J. Fu, and C. Ruan, "Characteristic impedance of a rectangular coaxial cone transmission line with an offset inner conductor," *Microwave and Optical Technology Letters*, vol. 19, no. 4, pp. 267-271, Nov. 1998.
- Dudley, R., "Low cost testing - the GTEM experience," *Approval*, vol. 1, no. 2, pp. 24-29, Jan./Feb. 1995.
- Dvorak, T., "Measurement of electromagnetic field immunity," *IEEE Transactions on Electromagnetic Compatibility*, vol. 16, no. 3, pp. 154-160, Aug. 1974.
- Dvorak, T., "Measuring methods for determining electromagnetic field immunity of receiving and audio equipment," *IEEE International Symposium on Electromagnetic Compatibility*, xx, xx, pp. 253-258, 1973.
- Eaves, R. E., Jr., "Guided waves in a class of stripline and other parallel-plate structures," *IEEE Transactions on Microwave Theory and Techniques*, vol. 18, no. x, pp. 66-68, Jan. 1970.
- Elliott, W. M., S. Kukunaris, J. Rohed, and J. Liu, "Multifactor analysis of variance [ANOVA] investigation into GTEM to open area test site correlation for FCC Part 15 radiated emissions tests," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 1100-1104, 1998.
- EMC Test Systems, *GTEM!™ to OATS Correlation Testing to Allow Use of a GTEM! for FCC Type Certification Measurements*, PN 399515, Austin, TX, 1994.
- Engel, A., "Model of IC emissions into a TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 197-202, 1997.
- Fantom, A. E., and J. Hansen-Addy, "Calibration of power flux density probes using a tapered TEM cell," *British Electromagnetic Measurements Conference*, Teddington, UK, pp. 30/1-30/3, 1987.
- Faught, A. N., J. T. Dowell, and R. D. Scheps, "Shielding material insertion loss measurement using a dual TEM cell system," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 286-290, 1983.
- Feser, K., U. Reinhardt, and K. Feurer, "Correlations between EMC tests in frequency and time domains," *EMC'94 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 823-827, 1994.
- Feser, K., K. Feurer, W. Pfaff, and M. Lutz, "MIGUS: a flexible, fully automatic EMP simulator," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 143-148, 1987.
- Feurer, K., and C. Pohl, "Einsatz eines feldgenerators in streifenleitertechnik zur prüfung von fahrzeugen innerhalb einer absorberhalle," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 755-762, 1996.
- Filira, F., M. Cappio Borlino, M. Giunta, R. Pomponi, and G. Pierucci, "The management of pre-compliance testing by the GTEM cell," *EMC'96 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 890-894, 1996.
- Foo, S. L., G. I. Costache, and S. S. Stuchly, "Analysis of electromagnetic fields in loaded TEM cells by finite element method," *IEEE International Symposium on Electromagnetic Compatibility*, Seattle, WA, pp. 6-8, 1988.
- Forster, J. D., F. S. Barnes, H. Wachtel, R. R. Bowman, J. W. Frazer, and R. Chalker, "An exposure system for variable electromagnetic-field orientation electrophysiological studies,"

- IEEE Transactions on Microwave Theory and Techniques*, vol. 33, no. 8, pp. 674-680, Aug. 1985.
- Gallawa, R. L., "Propagation in nonuniform waveguides with impedance walls," *Journal of Research NBS*, vol. 68D, no. 11, pp. 1201-1213, Nov. 1964.
- Gans, M. J., "The transmission line scattering range," *Proceedings of the IEEE*, vol. 53, no. 8, pp. 1081-1082, Aug. 1965.
- Garb, K., and R. Kastner, "Characteristic impedance of a rectangular double-ridged TEM line," *IEEE Transactions on Microwave Theory and Techniques*, vol. 45, no. 4, pp. 554-557, Apr. 1997.
- Garbe, H., "TEM-zellen in der EMV-meßtechnik - ein überlick -," unpublished preprint, 1991.
- Garbe, H., and D. Hansen, "The GTEM cell concept; applications of this new EMC test environment to radiated emission and susceptibility measurements," *Seventh International Conference on Electromagnetic Compatibility*, York, UK, IEE Conference Pub. No. 326, pp. 152-156, 1990.
- Gardner, C. L., and Y. F. C. Poissant, "Measurement of the shielding properties of composite materials: comparison of the dual TEM and noncontact probe methods," *IEEE Transactions on Electromagnetic Compatibility*, vol. 40, no. 4, pp. 364-369, Nov. 1998.
- Gardner, R. L., "High power electromagnetics: a generalization of EMP technology," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 153-156, 1989.
- Garn, H. F., and W. Müllner, "A fully automatic, accurate method for the performance evaluation and calibration of absorber-lined chambers for radiated-emission tests," *IEEE International Symposium on Electromagnetic Compatibility*, Cherry Hill, NJ, pp. 19-24, 1991.
- Gassmann, F., H. Haldemann, and C. Zehntner "Design and performance of a very large GTEM cell," unpublished preprint, 1997.
- Gavenda, J. D., and M. D. Foegelle, "A strip-line TEM cell for measuring electromagnetic emissions," *IEEE International Symposium on Electromagnetic Compatibility*, Cherry Hill, NJ, pp. 17-18, 1991.
- Geromiller, H. -P., D. Ristau, and S. Weiss, "Frequenz- und ortsabhängig: das elektrische feld in einer GTEM-zelle 1750," *ElektronikPraxis*, vol. x, no. 1, pp. 58-59, Jan. 10, 1997.
- Geromiller, H. P., J. Schrape, A. Kost, and P. U. Schwartz, "Measuring defined emissions in GTEM-cell 1250," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 1110-1113, 1998.
- Gleaves, M., "TEM cell testing and new developments - the MAC cell," *emc engineering europe*, Euro-EMC 96 edition, pp. 53, 54, 56, 58, 61, Sep. 1996.
- Glimm, J., K. Münter, R. Pape, T. Schrader, and M. Spitzer, "The new national standard of EM field strength; realization and dissemination," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 611-613, 1997.
- Glimm, J., T. Schrader, K. Münter, R. Pape, and M. Spitzer, "A new direct-measuring field sensor up to 1000 MHz with an analog fibre-optical link -design, traceable calibration, and results-," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 483-487, 1995.

Göpel, K. -D., "E-/H-feldgenerator zur erzeugung vertikal und horizontal polarisierter felder hoher feldstärke und feldhomogenität," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 857-866, 1994.

Göpel, K. -D., "S-LINE: a newly developed TEM waveguide for EMC measurements," *International Conference on Electromagnetic Interference and Compatibility '97 (INCEMIC-97)*, Hyderabad, India, pp. 15-20, 1997.

Goulette, R. R., "The measurement of radiated emissions from integrated circuits," *IEEE International Symposium on Electromagnetic Compatibility*, Anaheim, CA, pp. 340-345, 1992.

Groot Boerle, D. J., F. B. J. Leferink, and T. D. Leistikow "Obtaining the antenna factor of an optically driven antenna using the reciprocity of a TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 900-905, 1998.

Grudzinski, E., and H. Trzaska "The TEM-cell in EMC investigations," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 407-410, 1983.

Grudzinski, E., and J. Zurawicki, "TEM-cell as EM field standard," *EMC 96 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 360-363, 1996.

Gruner, L., "Higher order modes in rectangular coaxial waveguides," *IEEE Transactions on Microwave Theory and Techniques*, vol. 15, no. x, pp. 483-485, Aug. 1967.

Guckel, H., "Characteristic impedances of generalized rectangular transmission lines," *IEEE Transactions on Microwave Theory and Techniques*, vol. xx, no. x, pp. 270-274, May 1965.

Guirado, R., R. del Rio, and J. Carpio, "Comparison between GTEM and OATS radiated field emission measurements," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 338-342, 1995.

Guirado, R., J. C. Molina, and J. Carpio, "Comparison between GTEM and OATS radiated emission measurements for different product families," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 555-560, 1997.

Guirado, R., J. C. Molina, and J. Carpio, "Correction of radiated emission measurements made in a GTEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 888-892, 1998.

Gunston, M. A. R., *Microwave Transmission-line Impedance Data*, New York, NY: Van Nostrand Reinhold Co., pp. 19-62, 1972.

Halbach, L., and M. Kirschvink, "Flat ferrite RF absorbers," *ITEM 1996*, R&B Enterprises, pp. 116, 118, 120-121, 258, 1996.

Hamid, M. A. K., "Reflection coefficient at a horn waveguide junction," *IEEE Transactions on Antennas and Propagation*, vol. x, no. x, pp. 564-565, xx 196x.

Hansen, D., "A new approach to EMC testing," *emc engineering europe*, pp. 7-8, 10, July/Aug. 1998.

Hansen, D., N. Ari, and H. Garbe, "An investigation into the scattering and radiation characteristic of RF-absorbers," *IEEE International Symposium on Electromagnetic Compatibility*, Seattle, WA, pp. 99-105, 1988.

Hansen, D., J. Funck, D. Ristau, and S. Moessler, "Comparing the field quality of the new EUROTREM to GTEM and fully absorber lined chambers," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 132-136, 1998.

Hansen, D., J. Funck, and D. Ristau, "Vergleich der feldqualität von GTEM, EUROTEM und vollabsorberkammer," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 277-282, 1998.

Hansen, D., H. Garbe, P. Wilson, and D. Königstein, "A broadband alternative EMC test chamber for RS and RE measurements in standards compliance testing - critical review of established procedures," *INCEMIC 89*, Bangalore, India, pp. xx-xx, 1989.

Hansen, D., and D. Ristau, "Review and future research of GTEM cells," *EMC 94 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 176-179, 1994.

Hansen, D., and D. Ristau, "Review and future research of the GTEM cell," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 445-446, 1994.

Hansen, D., and D. Ristau, "Sources of problems in the GTEM field structure and recommended solutions," *IEEE International Symposium on Electromagnetic Compatibility*, Santa Clara, CA, pp. 48-51, 1996.

Hansen, D., D. Ristau, T. Spaeth, W. A. Radasky, and K. S. Smith, "Expansions on the GTEM field structure problem," *IEEE International Symposium on Electromagnetic Compatibility Record*, Atlanta, GA, pp. 538-542, 1995.

Hansen, D., D. Ristau, T. Spaeth, W. A. Radasky, K. S. Smith, and J. L. Gilbert, "Analysis of the measured field structure in a GTEM 1750," *IEEE International Symposium on Electromagnetic Compatibility*, Chicago, IL, pp. 144-149, 1994.

Hansen, D., H. Schaer, D. Koenigstein, H. Garbe, and H. Hoitink, "A methodology to assess EXO-NEMP impact on a real system - case studies," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 185-190, 1989.

Hansen, D., P. Wilson, D. Koenigstein, and H. Garbe, "Emission and susceptibility testing in a tapered TEM cell," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 227-232, 1989.

Hansen, D., H. Schär, D. Königstein, H. Hoitink, and D. V. Giri, "Field excitation of a two-wire transmission line in a TEM cell," *Interaction Notes 486*, AFWL, 1988.

Hansen, D., P. Wilson, D. Koenigstein, and H. Schaer, "A broadband alternative EMC test chamber based on a TEM-cell anechoic-chamber hybrid concept," *IEICE International Symposium on Electromagnetic Compatibility*, Nagoya, Japan, p. 133-137, 1989.

Harima, K., and E. Yamashita, "FDTD analysis of electromagnetic field in a TEM-cell," *Transactions of IEICE*, vol. J79-B-II, no. 10, pp. 705-708, Oct. 1996.

Harrington, T. E., "GTEM fields FDTD modeling," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 614-619, 1997.

Harris, I., A., "The theory and design of coaxial resistor mounts for the frequency band 0-4000 Mc/s," *Proceedings of the IEE*, vol. 103, Part C, no. 3, pp. 1-10, Mar. 1956.

Harry, R. J., "The measurement of the immunity of hand-held radar speedmeters," *IERE International Conference on Electromagnetic Compatibility*, Surrey, UK, pp. 193-198, 1984.

Hart, M. J., E. L. Bronaugh, and J. D. M Osburn, "Obtaining FCC approval for submission of GTEM data," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, p. 797, 1994.

- Hartman, R. E., and W. A. Kesselman, "TEM transmission line technique for the measurement of 'radiated susceptibility'," *IEEE International Symposium on Electromagnetic Compatibility*, xx, XX, pp. 187-190, 1978.
- Hawlitshka, S., W. Graf, P. Guidi, and H. U. Schmidt, "Untersuchungen des abstrahlverhaltens von antennen und störstrahlern in TEM-wellenleitern," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 301-308, 1996.
- Hecken, R. P., "A near-optimum matching section without discontinuities," *IEEE Transactions on Microwave Theory and Techniques*, vol. 20, no. 11, pp. 734-739, Nov. 1972.
- Henke, H., "Influence of the wall geometry on reflection and transmission in an *E*-plane sectoral horn," *IEEE Transactions on Antennas and Propagation*, vol. x, no. x, pp. 556-560, July 1977.
- Henke, H., "Reduced throat reflection in horns with gradual change of geometry - the hyperbolic horn," *Archiv der Elektrischen Übertragung*, vol. 29, no. 10, pp. 429-434, 1975.
- Henke, H., "Wave propagation in waveguides of varying cross section," *Archiv der Elektrischen Übertragung*, vol. 28, no. 3, pp. 146-147, 1974.
- Hermeling, G. C., "Method for immunity measurements on home entertainment products using the 2 meter TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 574-580, 1983.
- Hill, D. A., "Bandwidth limitations of TEM cells due to resonances," *Journal of Microwave Power*, vol. 18, no. 2, pp. 181-195, 1983.
- Hill, D. A., "Human whole-body radiofrequency absorption studies using a TEM-cell exposure system," *IEEE Transactions on Microwave Theory and Techniques*, vol. 30, no. 11, pp. 1847-1854, Nov. 1982.
- Hill, D. A., and J. A. Walsh, "Resonance suppression in a TEM cell," *Journal of Microwave Power*, vol. 18, no. 4, pp. 325-330, 1983.
- Holloway, C. L., R. R. DeLyser, R. F. German, P. McKenna, and Kanda, M., "Comparison of electromagnetic absorber used in anechoic and semi-anechoic chambers for emissions and immunity testing of digital devices," *IEEE Transactions on Electromagnetic Compatibility*, vol. 39, no. 1, pp. 33-47, Feb. 1997.
- Honma, T., T. Tsubota, M. Tobise, and I. Fukai, "A boundary element analysis of TEM cells based on a mixed discretization using both of constant and linear elements," *Transactions of IECE of Japan*, vol. E66, no. 11, pp. 678-679, Nov. 1983.
- Huang, K., and W. Lin, "Calculation of characteristic impedance of broadband TEM cell (BTEM cell)," *Microwave and Optical Technology Letters*, vol. 4, no. 12, pp. 555-557, Nov. 1991.
- Huang, K. M., and W. Lin, "Impedance of TEM cells with equipment under test," *Electronics Letters*, vol. 26, no. 9, pp. 560-562, Apr. 26, 1990.
- Huang, K., W. Lin, and Y. Lin, "Characteristic impedance of rectangular cone transmission line," *IEE Proceedings Microwaves, Antennas, and Propagation*, vol. 141, no. 4, pp. 326-328, Aug. 1994.
- Huang, K., and Y. Liu, "A simple method for calculating electric and magnetic fields in GTEM cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 36, no. 4, pp. 355-358, Nov. 1994.

Huting, W. A., and K. J. Webb, "Comparison of mode-matching and differential equation techniques in the analysis of waveguide transitions," *IEEE Transactions on Microwave Theory and Techniques*, vol. 39, no. 2, pp. 280-286, Feb. 1991.

IEC 1000-4-3 *Electromagnetic Compatibility (EMC) - Part 4: Testing and measurement techniques - Section 3: Radiated, radio-frequency, electromagnetic field immunity test*, International Electrotechnical Commission, Geneva, Switzerland, Feb. 1995

Icheln, C., P. Vainikainen, and P. Haapala, "Application of a GTEM cell to small antenna measurements," *IEEE Antennas and Propagation Society International Symposium*, Montreal, Quebec, Canada, pp. 546-549, 1997.

Icheln, C., T. Laitinen, M. Sippola, H. Siren, R. Sepponen, and P. Vainikainen, "Computer simulations and near-field measurements for the prediction of radiated EMI," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 878-881, 1998.

Ivanov, S. A., "Characteristic impedances of four-conductor transmission line," *IEEE Transactions on Microwave Theory and Techniques*, vol. 29, no. 6, pp. 611-615, June 1981.

Ivanov, S. A., and G. L. Djankov, "Determination of the characteristic impedance by a step current density approximation," *IEEE Transactions on Microwave Theory and Techniques*, vol. 32, no. 4, pp. 450-452, Apr. 1984.

Janiszewski, J. M., and T. W. Wieckowski, "GTEM cell: a new tool for EMC measurements," *EMC'94 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 200-204, 1994.

Jarem, J. M., "Analysis of a four parallel wire antenna system by the spatial Fourier transform method," *IEEE Transactions on Electromagnetic Compatibility*, vol. 33, no. 3, pp. 215-223, Aug. 1991.

Jarem, J. M., "Electromagnetic field analysis of a four-wire anechoic chamber," *IEEE Transactions on Antennas and Propagation*, vol. 38, no. 11, pp. 1835-1842, Nov. 1990.

Jendernalik, L., "Investigations on suppression of higher order mode resonances in TEM cells using a planar terminator," *EMC'94 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 246-251, 1994.

Jendernalik, L., and D. Peier, "Expanding the bandwidth of a TEM-cell with a planar terminator," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 579-582, 1993.

Jendernalik, L., D. Peier, and R. Schaller, "TEMpact: resonanzfreie TEM-zellen in kompaktbauweise," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 317-324, 1996.

Jin, R., J. Hirokawa, M. Ando, "Accelerant method for Green's function of horizontal dipole in parallel plate waveguide," *IEE Proceedings - Microwaves, Antennas, and Propagation*, vol. 145, no. 5, pp. 430-432, Oct. 1998.

Judd, M. D., "Transient calibration of electric field sensors," *IEE Proceedings Science, Measurement, and Technology*, vol. 146, no. 3, pp. 113-116, May 1999.

Judd, M. D., and O. Farish, "A pulsed GTEM system for UHF sensor calibration," *IEEE Transactions on Instrumentation and Measurement*, vol. 47, no. 4, pp. 875-880, Aug. 1998.

- Judd, M. D., O. Farish, and B. F. Hampton, "UHF couplers for gas-insulated substations: a calibration technique," *IEE Proceedings Science, Measurement, and Technology*, vol. 144, no. 3, pp. 117-122, May 1997.
- Judd, M. D., B. F. Hampton, and O. Farish, "Modelling partial discharge excitation of UHF signals in waveguide structures using Green's functions," *IEE Proceedings Science, Measurement, and Technology*, vol. 143, no. 1, pp. 63-70, Jan. 1996.
- Kanda, M., "Electromagnetic-field distortion due to a conducting rectangular cylinder in a transverse electromagnetic cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 24, no. 3, pp. 294-301, Aug. 1982.
- Kanda, M., and R. D. Orr, "Generation of standard electromagnetic fields in a TEM (transverse electromagnetic) cell," *NBS Technical Note 1319*, Aug. 1988.
- Kapilevich, B. Y., T. A. Rahman, M. Andiappan, "Microwave cell for EMI/EMC testing," *xx*, vol. xx, no. x, pp. xx, 1995.
- Kärst, J. P., M. Koch, and H. Garbe, "Vergleich der feldhomogenität verschiedener TEM-wellenleiter," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 291-298, 1998.
- Kashyap, S., "Feed cable resonance in a TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Wakefield, MA, pp. 539-541, 1985.
- Kashyap, S., "Field distortions in a TEM cell," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 75-78, 1985.
- Kashyap, S. C., "Field patterns in TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 43-46, 1983.
- Kaufman, H., "Bibliography of nonuniform waveguides," *IEEE Transactions on Antennas and Propagation*, vol. x, no. x, pp. 218-220, Oct. 1955.
- Kaylor, W. R., "T.E.M. cell refinements for efficient susceptibility testing," *IEEE Instrumentation and Measurement Technology Conference*, Tampa, FL, pp. 185-189, 1985.
- Kim, S., J. Nam, H. Jeon, and S. Lee, "A correlation between the results of the radiated emission measurements in GTEM and OATS," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 1105-1109, 1998.
- Klingler, M., J. Rioult, J-P. Ghys, S. Ficheux, "Wide-band total radiated power measurements of electronic equipment in TEM and GTEM cells," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 665-670, 1999.
- Knop, C. M., and S. I. Cohn, "A multiple probe method for the measurement of reflected and transmitted power in a coaxial waveguide," *IRE National Convention Record*, vol. xx, no. x, pp. 846-856, 19xx.
- Koch, M., and H. Garbe, "Analytische und numerische parameterstudien in TEM-zellen rechteckförmigen querschnitts," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 255-262, 1998.
- Koch, M., and H. Garbe, "Geometrieabhängige modenanalyse einer kompletten TEM-zelle," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 325-332, 1996.

- Koch, M., and H. Garbe, "Investigation of field distortion in a TEM-waveguide," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 595-598, 1995.
- Koch, M., C. Groh, and H. Garbe, "Exact determination of resonant frequencies in TEM cells," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 653-658, 1999.
- Kodama, M., "Telegraphist's equations of an *E*-plane taper of a rectangular waveguide," *IEICE Transactions on Electronics*, vol. E75-C, no. 8, pp. 957-959, Aug. 1992.
- Koepke, G. H., and M. T. Ma, "A new method for determining the emission characteristics of an unknown interference source," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 35-40, 1983.
- Koepke, G. H., M. T. Ma, and W. D. Bensema, "Implementation of an automated system for measuring radiated emissions using a TEM cell," *IEEE Transactions on Instrumentation and Measurement*, vol. 38, no. 2, pp. 473-479, Apr. 1989.
- Koepke, G. H., M. T. Ma, and W. D. Bensema, "Theory and measurements of radiated emissions using a TEM cell," *NIST Technical Note 1326*, Jan. 1989.
- Kohlberg, I., "Structuring the interior fields of a bounded wave EMC/EMP test facility by impedance loading of waveguide walls," *EMC 92 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 429-433, 1992.
- Königstein, D., and D. Hansen, "A new family of TEM-cells with enlarged bandwidth and optimized working volume," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 127-132, 1987.
- Krause, J., and G. Mönich, "FRCTEM cell – approached to improve VSWR and to suppress longitudinal components in conical TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 54-59, 1997.
- Krause, J., and G. Mönich, "Numerische untersuchung der GTEM-zelle," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 309-316, 1996.
- Krause, J., and G. Mönich, "Optimierung konischer TEM-zellen mit ferritabsorberabschluß," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 283-290, 1998.
- Kruse, W. P., "A TEM RF test cell for consumer products emission and susceptibility measurements," *IEEE Transactions on Consumer Electronics*, vol. 25, no. 2, pp. 198-201, May 1979.
- Kruse, W. P., "State-of-the-art EMI testing Part A -- A TEM cell for consumer electronics," *Electro '83*, New York, NY, pp. 8/3 A 1-21, 1983.
- Kucharski, A. A., "Electromagnetic field inside loaded TEM cells," *EMC 90 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 345-349, 1990.
- Kucharski, A. A., "Higher order mode field distribution in loaded TEM cells - numerical approach," *Eighth International Conference on Electromagnetic Compatibility*, Edinburgh, UK, IEE Conference Pub. No. 362, pp. 169-176, 1992.
- Kucharski, A. A., "TEM cells modelling using TLM method," *EMC 92 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 305-309, 1992.

- Kumara, V., "Measurement of field distribution in an absorber-loaded TEM cell," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 319-322, 1989.
- Kunz, S., and A. Schwab, "Unterscheide räumlicher feldverteilungen in absorber-hallen und TEM-zellen bei immunitätsmessungen," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 259-268, 1994.
- Lampe, R., P. Klock, D. Tanner, and P. Mayes, "Analysis and experiment concerning the cutoff frequencies of rectangular striplines," *IEEE Transactions on Microwave Theory and Techniques*, vol. 34, no. 8, pp. 898-899, Aug. 1986.
- Landstorfer, F. M., and R. R. Sacher, "Optimisation methods applied to horn antennas," *Second International Conference on Antennas and Propagation*, York, UK, IEE Conference Pub. No. 195, pp. 319-322, 1978.
- Lawson, W. G., "Theoretical evaluation of nonlinear tapers for a high-power gyrotron," *IEEE Transactions on Microwave Theory and Techniques*, vol. 38, no. 11, pp. 1617-1622, Nov. 1990.
- Lee, A.-K., "An advanced correlation algorithm between GTEM and OATS for radiated emission tests," *ETRI Journal*, vol. 17, no. 3, pp. 45-63, Oct. 1995.
- Lee, A.-K., "An algorithm for an advanced GTEM to ground plane correlation of radiated emission test," *IEEE International Symposium on Electromagnetic Compatibility*, Santa Clara, CA, pp. 58-62, 1996.
- Leferink, F. B. J., "A triple-TEM cell: three polarisations in one setup," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 573-578, 1993.
- Leferink, F. B. J., "Einfache störfestigkeitsmessungen mit der triple-TEM-zelle," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 235-244, 1994.
- Leferink, F. B. J., "High field strength in a large volume: the balanced stripline TEM antenna," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 350-354, 1998.
- Leferink, F. B. J., "Triple-TEM cell: a simple device for immunity testing," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 455-459, 1994.
- Lewin, L., "Reflection cancellation in waveguides," *Wireless Engineer*, vol. x, no. x, pp. 258-264, Aug. 1949.
- Li, H., and M. Thumm, "Mode coupling in corrugated waveguides with varying wall impedance and diameter change," *International Journal of Electronics*, vol. 71, no. 5, pp. 827-844, 1991.
- Li, J., "Making an approach to radiated susceptibility numerical modification of radio and TV receiver with TEM cell measurement technique," *IEICE International Symposium on Electromagnetic Compatibility*, Nagoya, Japan, pp. 139-140, 1989.
- Liepa, V. V., and C. Cheon, "Analysis and design of a 4wire antenna for anechoic chamber excitation," *IEEE Antennas and Propagation Society International Symposium*, x, x, pp. 336-338, 1989.
- Lin, M. -S., C. -H. Tan, F. -P. Shieh, and C. H. Chen "Evaluation of plane-wave shielding properties of anisotropic laminated composites using GTEM," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 548-550, 1995.

- Lin, W., "Further study on the characteristics of a rectangular line with off-centered strip inner conductor," *Microwave and Optical Technology Letters*, vol. 5, no. 2, pp. 62-65, Feb. 1992.
- Lin, W., "A new type TEM cell with a sliding cross as inner conductor," *IEMCS-92 International Electromagnetic Compatibility Symposium*, Singapore, pp. 187-193, 1992.
- Lin, W., "The field distribution inside a TEM cell with a cross of unequal arms as inner conductor," *Microwave and Optical Technology Letters*, vol. 4, no. 6, pp. 239-243, May 1991.
- Liu, Y., B. Tang, and Y. Gao, "Sphere-TEM mode in rectangular top horn offset coaxial transmission line," *IEEE Transactions on Electromagnetic Compatibility*, vol. 36, no. 4, pp. 390-394, Nov. 1994.
- Livermore, S. B., "Quantifying signal leakage-how do current methods measure up?," *IEEE Transactions on Consumer Electronics*, vol. 30, no. 3, pp. 503-509, Aug. 1984.
- Livernois, T. G., R. L. Monahan, K. P. Slattery, and S. V. Smith, "Characterization of TEM cell discontinuities due to filtered DUT wire harness," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 523-526, 1997.
- Lorch, R., and G. Mönich, "Modenunterdrückung in TEM-zellen," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 293-300, 1996.
- Lorch, R., and G. Mönich, "Mode suppression in TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Santa Clara, CA, pp. 40-42, 1996.
- Ma, M. T., "Error analysis of radiation characteristics of an unknown interference source based on power measurements," *IECE International Symposium on Electromagnetic Compatibility*, Tokyo, Japan, pp. 39-44, 1984.
- Ma, M. T., and G. H. Koepke, "A method to quantify the radiation characteristics of an unknown interference source," *NBS Technical Note 1059*, Oct. 1982.
- Ma, M. T., and G. H. Koepke, "Uncertainties in extracting radiation parameters for an unknown interference source based on power and phase measurements," *NBS Technical Note 1064*, June 1983.
- MacLeod, A., "TEM cells: panacea for immunity pre-compliance?," *Approval*, vol. 2, no. 4, pp. 31-34, May/June 1996.
- Manara, G., M. Bandinelli, and A. Monorchio, "Electromagnetic penetration and coupling to wires through apertures of arbitrary shape," *IEEE Transactions on Electromagnetic Compatibility*, vol. 40, no. 4, pp. 391-396, Nov. 1998.
- Marincic, A. S., and Z. Petrovic, "A new design of horn with improved radiation pattern," *First International Conference on Antennas and Propagation*, London, UK, IEE Conference Pub. No. 169, pp. 364-368, 1978.
- Marot, C., and P. Dall'Agnese, "Reducing electro-magnetic radiations with a multi chip module," *IEEE/CPMT International Electronics Manufacturing Technology Symposium*, Berlin, Germany, pp. 16-20, 1998.
- Martens, L., A. Madou, B. Vanlandschoot, L. Kone, B. Demoulin, P. Sjöberg, A. Anton, L. Van den Torren, J. Van Koetsem, H. Hoffmann, and U. Schrickler, "Shielding of backplane interconnection technology systems (EU SOBITS project)," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 818-822, 1998.

- Matsui, T., "A wide-band FET antenna and its calibration," *IEEE Transactions on Instrumentation and Measurement*, vol. 40, no. 1, pp. 47-49, Feb. 1991.
- Matsumaru, K., "Reflection of a pyramidally tapered rectangular waveguide," *IEEE Transactions on Microwave Theory and Techniques*, vol. 7, no. x, pp. 192-196, Apr. 1959.
- Meckelburg, H., -J., "Ein systematischer vergleich von emissionsmessungen im freien raum, auf dem freifeld und in TEM-zellen," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 225-233, 1994.
- Metcalf, W. S., "Characteristic impedance of rectangular transmission lines," *Proceedings IEE*, vol. 112, no. 11, pp. 2033-2039, Nov. 1965.
- Meyer, G., "The TEM measuring line - a critical review," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 407-412, 1981.
- Middlekoop, R., "Time-domain calibration of field sensors for electromagnetic pulse (EMP) measurements," *IEEE Transactions on Instrumentation and Measurement*, vol. 40, no. 2, pp. 455-459, Apr. 1991.
- Mislan, J. D., "Comparison of failure mode criteria in electromagnetic environments," *IEEE Instrumentation and Measurement Technology Conference*, Tampa, FL, pp. 203-207, 1985.
- Moenich, G., "A new conical active absorber terminated TEM-cell for time-harmonic and transient use," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 599-602, 1995.
- Mönich, G., and J. Krause, "Draht- und glasfaserlose feldhomogenitätsmessung in TEM-zelle," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 271-276, 1998.
- Mönich, G., and M. Oelschläger, "TEM simulation of nearfield coupling to a set of transmission line elements," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 71-76, 1993.
- Mohr, C., "Wellentypwandlung in inhomogen rechteckhohlleitern," *Archiv der Elektrischen Übertragung*, vol. 23, no. 3, pp. 147-156, 1969.
- Muccioli, J. P., T. M. North, and K. P. Slattery, "Characterization of the RF emissions from a family of microprocessors using a 1 GHz TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 203-207, 1997.
- Neale, R., "New GTEM cells that rotate the field and competition," *electronic engineering*, vol. x, no. 4, pp. 21-22, Apr. 1996.
- Neukamm, G., and G. Baumann, "Erweiterung des frequenzbereichs von offenen unsymmetrischen TEM-wellenleitern," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 245-258, 1994.
- Neureuther, A. R., G. J. Burke, E. K. Miller, and G. M. Pjerrou, "Resonance region scatterer studies by a rail line range," *IEEE Transactions on Antennas and Propagation*, vol. 19, no. 6, pp. 789-792, Nov. 1971.
- Nothofer, A., and M. Koch, "Correlation method of radiated emission in GTEM cells to OATS," *COST 243 Workshop Numerical Methods and Their Applications*, London, UK, 1995.

Nothofer, A., and A. C. Marvin, "Aspects of GTEM to OATS measurement correlation," *Tenth International Conference on Electromagnetic Compatibility*, Warwick, UK, IEE Conference Pub. No. 445, pp. 170-174, 1997.

Nothofer, A., A. C. Marvin, and T. Konefal, "Radiated emission measurements in GTEM cells compared with those of an OATS," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 317-320, 1997.

Oelschläger, M., and T. Straumann, "Active absorber for conical TEM-cells," *Symposium on Electromagnetic Compatibility*, Barcelona, Spain, 1994.

Osabe, K., and A. Maeda, "Improvement for TEM cell with inner terminator (Part -1) -Design concept-," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 441-444, 1994.

Osburn, J. D. M., "An analysis of expected error during radiated emissions testing in a GHz TEM cell," xx, xx, xx, pp. xx, 19xx.

Osburn, J. D. M., "Method and apparatus for improved correlation of electromagnetic emission test data," United States Patent No. 5,404,098, 1995.

Osburn, J. D. M., and E. L. Bronaugh, "A measurement and calculation procedure to remove the 'gain no greater than a dipole' restriction in the GTEM-OATS correlation algorithm," *EMC 94 - Barcelona 4th International Symposium Exhibition Technical Normative on Electromagnetic Compatibility*, Barcelona, Spain, pp. xx, 1994.

Osburn, J. D. M., and E. L. Bronaugh, "Advances in GTEM to OATS correlation models," *IEEE International Symposium on Electromagnetic Compatibility*, Dallas, TX, pp. 95-98, 1993.

Osburn, J. D. M., and E. L. Bronaugh, "GHz TEM (GTEM) cell to open area test site (OATS) correlation algorithm verification issues above 1 GHz," *EMC/ESD International Conference*, Denver, CO, pp. 356-360, 1993.

Osburn, J. D. M., and E. L. Bronaugh, "The 'hyper-rotated' GHz transverse electromagnetic (GTEM) cell, expanding the performance envelope," *EURO-EMC Conference*, London, UK, 1993.

Osburn, J. D. M., T. E. Harrington, and F. Sepulveda, "A preliminary evaluation of the effect of a dielectric WB TEM cell manipulator on radiated emissions test results," *Ninth International Conference on Electromagnetic Compatibility*, Manchester, UK, IEE Conference Pub. No. 396, pp. 34-39, 1994.

Osburn, J. D. M., and P. A. Tobola, "Electromagnetic interference testing apparatus," United States Patent No. 5,430,456, 1995.

Pate, J. B., and J. D. Williams, "The parallel plate chamber as a receiving instrument for measuring electrically small devices," *IEEE International Symposium on Electromagnetic Compatibility*, Seattle, WA, pp. 19-25, 1977.

Peng, Y., and J. Fu, "The calculation of resonant frequencies in the large NBS TEM cell," *EMC 92 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 342-345, 1992.

Pierantoni, L., and T. Rozzi, "E.M. pulse propagation in GTEM cell," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 603-606, 1995.

Podgorski, A. S., "Dual polarization broadband gigahertz field (BGF) simulator for emission and susceptibility testing - principles and applications," *EMC 96 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 406-408, 1996.

Podgorski, A. S., "Future C⁴I electromagnetic protection standards and requirements for global operations developed in Canada," *EUROEM 94 Conference*, Bordeaux, France, pp. xx, 1994.

Podgorski, A. S., A. W. Kälin, and J. Baran, "Neuartige elektromagnetische systeme für emissions- und suszeptibilitätsprüfungen mittels breitbandigen CW- und impulsmessungen," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 475-481, 1998.

Podgorski, A. S., and G. Gibson, "New broadband Gigahertz field simulator," *IEEE International Symposium on Electromagnetic Compatibility*, Anaheim, CA, pp. 435-437, 1992.

Podgorski, A. S., and J. Baran, "New concept of emission and susceptibility testing," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 497-499, 1997.

Podgorski, A. S., and J. Baran, "Radiated emission measurements conducted in the AST semi-anechoic chamber dual polarization broadband gigahertz field simulator and their verification with the measurements done on open area test site.," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 854-859, 1998.

Podgorski, A. S., "Precursor of an ultra-wideband radar system," *International Conference on Ultra-Wideband, Short-Pulse Electromagnetics*, New York, NY, pp. xx, 1992.

Pokrovskii, V. L., F. R. Ulinich, and S. K. Savvinykh, "The theory of tapered waveguides," *Radio Engineering and Electronics*, vol. 4, no. 2, pp. 11-23, 1959.

Pollard, N., "A broadband electromagnetic environments simulator (EMES)," *IEEE International Symposium on Electromagnetic Compatibility*, Seattle, WA, pp. 73-78, 1977.

Polonis, J. J., W. E. Cory, I. Martinez, D. A. Smith, and H. H. Walker, "Tri-plate test fixture," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 153-158, 1998.

Popovic, M., S. C. Hagness, and A. Taflove, "Finite-difference time-domain analysis of a complete transverse electromagnetic cell loaded with liquid biological media in culture dishes," *IEEE Transactions on Biomedical Engineering*, vol. 45, no. 8, pp. 1067-1076, Aug. 1998.

Popovic, M., S. C. Hagness, and A. Taflove, "Nonuniform exposures of Petri dish cultures within a TEM cell identified by FDTD modeling," *IEEE Antennas and Propagation Society International Symposium*, Montreal, Quebec, Canada, pp. 1218-1221, 1997.

Porter, S. J., V. A. Van, W. Gibbons, and A. C. Marvin, "A comparison of emissions measurements in GTEM cells with open-area test sites and semi-anechoic chambers," *British Electromagnetic Measurements Conference*, Malvern, UK, 199x.

Pouhé, D., and G. Mönich, "Ein neues modell von pyramidenabsorbern für niedrigere und mittlere frequenzen," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 887-895, 1998.

Radasky, W. A., K. S. Smith, D. Hansen, and D. Ristau, "Calculations and measurements of fast EM pulses in the GTEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Santa Clara, CA, pp. 52-57, 1996.

Reiter, G., "Generalized telegraphist's equations for waveguides of varying cross-section," *IEE Proceedings*, suppl. B., vol. xx, no. xx, pp. 54-57, Sep. 1959.

Rhee, J. G., and J. Y. Lee, "A study on the modified septum of a TEM cell for an expanded test region," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 543-547, 1995.

Riblet, H. J., "An expansion for the fringing capacitance," *IEEE Transactions on Microwave Theory and Techniques*, vol. 28, no. 3, pp. 265-267, Mar. 1980.

Riblet, H. J., "The characteristic impedance of a family of rectangular coaxial structures with off-centered strip inner conductors," *IEEE Transactions on Microwave Theory and Techniques*, vol. 27, no. 4, pp. 294-298, Apr. 1979.

Riblet, H. J., "The exact dimensions of a family of rectangular coaxial lines with given impedance," *IEEE Transactions on Microwave Theory and Techniques*, vol. 20, no. 8, pp. 538-541, Aug. 1972.

Riblet, H. J., "Upper limit on the error of an improved approximation for the characteristic impedance of rectangular coaxial line," *IEEE Transactions on Microwave Theory and Techniques*, vol. 28, no. 6, pp. 666-667, June 1980.

Ristau, D., H. P. Geromiller, S. Weiss, D. Hansen, and A. Kost, "Investigation of resonance effects in GTEM-cell 1750," *EMC'96 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 879-883, 1996.

Robb, J. D., T. Chen, W. Werner, and G. Young, "The parallel-plate transmission line for lightning electromagnetic effects testing of electronics systems," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 396-403, 1978.

Rozzi, T., R. De Leo, L. Pierantoni, and G. Gerini, "A simplified analytical model of the termination of a GTEM cell," *EMC'94 Roma International Symposium on Electromagnetic Compatibility*, Rome, Italy, pp. 235-239, 1994.

Saad, S. S., J. B. Davies, and O. J. Davies, "Computer analysis of gradually tapered waveguide with arbitrary cross sections," *IEEE Transactions on Microwave Theory and Techniques*, vol. x, no. x, pp. 437-440, May 197x.

Sasaki, A., "Application example of the GTEM cell," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, p. 795, 1994.

Schelkunoff, S. A., "Conversion of Maxwell's equations into generalized telegraphist's equations for waveguides," *Bell System Technical Journal*, vol. 34, pp. 995-1043, Sep. 1955.

Schelkunoff, S. A., "Generalized telegraphist's equations for waveguides," *Bell System Technical Journal*, vol. 31, pp. 784-801, July 1952.

Schiavoni, A., T. Rozzi, and S. Lattanzi, "FDTD characterisation of the coax-to-GTEM cell transition," unpublished preprint, 1993.

Schiavoni, D., M. Cappio Borlino, M. Giunta, R. Pomponi, R. De Leo, G. Pierucci, "Finite volume time domain technique for evaluation of scattering in GHz-TEM cell : model, comparison with measurements and literature references," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 602-607, 1997.

Schneider, M., and J. Marquardt, "Fast computation of modified Mathieu functions applied to elliptical waveguide problems," *IEEE Transactions on Microwave Theory and Techniques*, vol. 47, no. 4, pp. 513-516, Apr. 1999.

- Schrader, T., R. Elsner, K. Münter, M. Spitzer, and J. Glimm, "Numerische berechnung der feldstruktur in einer μ TEM-zelle bei eingebrachtem sensor als teil der rückführung auf nationale normale," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, pp. 263-270, 1998.
- Schrader, T., K. Münter, M. Spitzer, and J. Glimm, "Tatsächliche prüfbelastung bei EMV-prüfungen im vergleich -freiraum, freifeld, absorberhalle und GTEM-zelle," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 593-600, 1996.
- Schrader, T., T. Pröpper, and J. Glimm, "Messung und simulation elektromagnetischer felder in einer GTEM-zelle," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 333-340, 1996.
- Schütte, A., "Vergleich von störfestigkeits-prüfverfahren im zeit- und frequenzbereich," *EMV '94 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 845-855, 1994.
- Schütte, A., and H. Stern, "Field measurement in a GTEM cell fed with impulse voltages," *Untersuchungsbericht Nr. 196*, Technische Universität Braunschweig, 1991.
- Schwab, A., and S. Kunz, "Feldverteilung in TEM-zellen und absorberhallen," *EMV Kompendium 1995*, pp. 134-137, 1995.
- Sebastiani, S., "A simple test for quickly measuring shielding effectiveness of cable and connectors," *IEEE International Symposium on Electromagnetic Compatibility*, Austin, TX, pp. 96-100, 1997.
- Seregelyi, J. S., "Numerical simulation of a large TEM cell," *ANTEM '94 Symposium on Antenna Technology and Applied Electromagnetics*, Ottawa, Canada, pp. 257-260, 1994.
- Seshadri, S. R., "Cylindrically waveguide mode convertor for azimuthally symmetric transverse electric modes," *IEE Proceedings Pt. H*, vol. 135, no. 6, pp. 420-425, Dec. 1988.
- Seshadri, T. K., S. K. Das, and B. K. Sinha, "Studies on field and impedance variations with object height inside TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Wakefield, MA, pp. 525-529, 1985.
- Seshagiri, N., "A nonuniform coaxial line with an isoperimetric sheath deformation," *IEEE Transactions on Microwave Theory and Techniques*, vol. xx, no. x, pp. 478-486, Nov. 1963.
- Shafii, J., and R. J. Vernon, "Mode coupling in coaxial waveguides with varying-radius center and outer conductors," *IEEE Transactions on Microwave Theory and Techniques*, vol. 43, no. 3, pp. 582-591, Mar. 1995.
- Skiles, J. J., and T. J. Higgins, "Determination of the characteristic impedance of UHF coaxial rectangular transmission lines," *Proceedings of the National Electronics Conference*, vol. X, pp. 97-108, 1954.
- Slattery, K. P., J. P. Muccioli, and T. North, "Measuring the radiated emissions from a family of microprocessors using a 1-GHz TEM cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 41, no. 2, pp. 146-152, May 1999.
- Slattery, K., and J. Neal, "Field uniformity in standard TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Atlanta, GA, pp. 534-537, 1996.

- Slattery, K., and J. Neal, "TEM cell mode excitation as a function of DUT harness wire number," *IEEE International Symposium on Electromagnetic Compatibility*, Denver, CO, pp. 276-280, 1998.
- Solymer, L., "Mode conversion in pyramidal-tapered waveguides," *Electronic & Radio Engineer*, vol. x, no. x, pp. 461-463, Dec. 1959.
- Spiegel, R. J., W. T. Joines, C. F. Blackman, and A. W. Wood, "A method for calculating electric and magnetic fields in TEM cells at ELF," *IEEE Transactions on Electromagnetic Compatibility*, vol. 29, no. 4, pp. 265-272, Nov. 1987.
- Sporleder, F., "Waveguide transition design of improved accuracy," *Archiv der Elektrischen Übertragung*, vol. 30, no. 7/8, pp. 289-296, 1976.
- Sreenivasiah, I., D. C. Chang, and M. T. Ma, "A critical study of emission and susceptibility levels of electrically small objects from tests inside a TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, xx, XX, pp. 499-507, 1981.
- Sreenivasiah, I., D. C. Chang, and M. T. Ma, "A method of determining the emission and susceptibility levels of electrically small objects using a TEM cell," *NBS Technical Note 1040*, Apr. 1981.
- Sreenivasiah, I., D. C. Chang, and M. T. Ma, "Characterization of electrically small radiating sources by tests inside a transmission line cell," *NBS Technical Note 1017*, Feb. 1980.
- Sreenivasiah, I., D. C. Chang, and M. T. Ma, "Emission characteristics of electrically small radiating sources from tests inside a TEM cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 23, no. 3, pp. 113-121, Aug. 1981.
- Steinbach, D., "Ein wellenleiter mit veränderbarer feldpolarisation-die H/V GTEM zelle," *EMV '96 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Karlsruhe, Germany, pp. 817-825, 1996.
- Steinbach, D., "IEC 1000-4-3 und wellenleiter - bedingungen und regeln zur allgemeinen anwendung," *EMC Journal Kompendium 1997*, pp. 226-228, 1997.
- Steinbach, D., "Störfestigkeitsmessungen nach IEC 1000-4-3 in GTEM-zellen," *EMV '98 Int. Fachmesse und Kongress für Elektromagnetische Verträglichkeit*, Düsseldorf, Germany, substitute paper, 1998.
- Steinke, E., and D. Steinbach, "Field strength distribution in the interior of GTEM cells," *Electronic Engineering*, vol. x, no. x, pp. 37-43, Apr. 1992.
- Steinke, E., P. Wilson, and H. Garbe, "An equivalent 'radiated emission' voltage measurement standard for TEM cells," *EMC 92 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 301-304, 1992.
- Stevenson, A. F., "Exact and approximate equations for wave propagation in acoustic horns," *Journal of Applied Physics*, vol. 22, no. 12, pp. 1461-1463, Dec. 1951.
- Stevenson, A. F., "General theory of electromagnetic horns," *Journal of Applied Physics*, vol. 22, no. 12, pp. 1447-1460, Dec. 1951.
- Strickland, B. R., and N. F. Audeh, "Automated calibration and data reduction technique for electrically small electromagnetic field sensors," *IEEE 1990 Southeastcon*, x, pp. 1008-1012, 1990.

- Tanaka, Y., and T. Honma, "Quasi-static boundary element analysis of a TEM cell with conducting loads," *IEEE Miami Technicon '87*, Miami, FL, pp. 195-198, 1987.
- Tanaka, Y., T. Honma, and I. Kaji, "A boundary-element analysis of TEM cells in three dimensions," *IEEE Transactions on Electromagnetic Compatibility*, vol. 28, no. 4, pp. 179-184, Nov. 1986.
- Tanaka, Y., T. Honma, and I. Kaji, "A boundary-element analysis of TEM cells in three dimensions," *IEEE Transactions on Electromagnetic Compatibility*, vol. 28, no. 4, pp. 179-184, Nov. 1986.
- Tanaka, Y., T. Honma, and I. Kaji, "A three-dimensional analysis for symmetrical TEM cells by the mixed boundary element method based on both of constant and linear elements," *Transactions of IECE of Japan*, vol. E67, no. 9, pp. 474-479, Sep. 1984.
- Tang, C. C. H., "Mode conversion in tapered waveguides at and near cutoff," *IEEE Transactions on Microwave Theory and Techniques*, vol. 14, no. 5, pp. 233-239, May 1966.
- Tang, C. C. H., "Optimization of waveguide tapers capable of multimode propagation," *IEEE Transactions on Microwave Theory and Techniques*, vol. x, no. x, pp. 442-452, Sep. 1961.
- Taylor, C. D., "Thin wire receiving antenna in a parallel plate waveguide," *IEEE Transactions on Antennas and Propagation*, vol. 15, no. 4, pp. 572-574, July 1967.
- Taylor, C. D., S. L. Langdon, S. J. Gutierrez, and W. A. Walton, "On the wide-band CW illumination of large-scale systems—part II: the rhombic illuminator," *IEEE Transactions on Electromagnetic Compatibility*, vol. 40, no. 3, pp. 201-208, Aug. 1998.
- Tehori, A., "Using a TEM cell for EMP simulation," *IECE International Symposium on Electromagnetic Compatibility*, Tokyo, Japan, pp. 627-629, 1984.
- Teratoni, T., and M. Kodera, "A wideband current injection probe for electromagnetic immunity test of automotive electronic components," *IEICE International Symposium on Electromagnetic Compatibility*, Nagoya, Japan, p. 322-327, 1989.
- Thelberg, M. J., E. L. Bronaugh, and J. D. M Osburn, "GTEM to OATS radiated emissions correlation from 15 GHz," *IEEE International Symposium on Electromagnetic Compatibility*, Chicago, IL, pp. 387, 390, 389, 388, 391, 392 (pages printed out of sequence), 1994.
- Thomas, K. G., K. M. Krishnaiah, A. Chordia, and J. K. Daher, "Evaluation of electric and magnetic field shielding effectiveness and polarizabilities of non-metallic samples using dual TEM cell," *IEEE International Symposium on Electromagnetic Compatibility*, Chicago, IL, pp. 291-293, 1994.
- Tippet, J. C., and D. C. Chang, "Characteristic impedance of a rectangular coaxial line with offset inner conductor," *IEEE Transactions on Microwave Theory and Techniques*, vol. 26, no. 11, pp. 876-883, Nov. 1978.
- Tippet, J. C., and D. C. Chang, "Higher order modes in rectangular coaxial line with infinitely thin inner conductor," *NBS Internal Report NBSIR 78-873*, Mar. 1978.
- Tippet, J. C., and D. C. Chang, "Radiation characteristics of electrically small devices in a TEM transmission cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 18, no. 4, pp. 134-140, Nov. 1976.
- Tippet, J. C., and D. C. Chang, "Radiation characteristics of dipole sources located inside a rectangular, coaxial transmission line," *NBS Internal Report NBSIR 75-829*, Jan. 1976.

- Tippet, J. C., D. C. Chang, and M. L. Crawford, "An analytical and experimental determination of the cutoff frequencies of higher-order TE modes in a TEM cell," *NBS Internal Report NBSIR 76-841*, June 1976.
- Tsaliovich, A., "Modeling electronic system radiated field patterns," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 323-328, 1989.
- Tsaliovich, A., D. Moncion, A. Okun, and G. Sinfield, "Using GTEM for electromagnetic emission measurements: experiments in test result correlation," *IEEE International Symposium on Electromagnetic Compatibility*, Chicago, IL, pp. 161-166, 1994.
- Turnbull, L., and A. C. Marvin, "A treatment of the phase properties of GTEM to open-area test-site correlation techniques," *IEEE Transactions on Electromagnetic Compatibility*, vol. 40, no. 1, pp. 62-69, Feb. 1998.
- Unger, H. -G., "Circular waveguide taper of improved design," *Bell System Technical Journal*, vol. 37, pp. 899-912, July 1958.
- Unger, H. -G., "Wave propagation in horns and through horn junctions," *Archiv der Elektrischen Übertragung*, vol. 19, no. 9, pp. 459-468, 1965.
- Van Hese, J., L. Martens, D. De Zutter, C. De Wagter, L. O. G. Malmgren, B. R. R. Persson, and L. G. Salford, "Simulation of the effect of inhomogeneities in TEM transmission cells using the FDTD-method," *IEEE Transactions on Electromagnetic Compatibility*, vol. 34, no. 3, pp. 292-298, Aug. 1992.
- Vanlandschoot, B., and L. Martens, "New method for measuring transfer impedance and transfer admittance of shields using a triaxial cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 39, no. 2, pp. 180-185, May 1997.
- Vela de Casillas, M., "GTEM hyper-rotated fixture," *EMC Test & Design*, vol. 4, no. 11, pp. 24-26, Nov. 1993.
- Verhagen, V. H. A. E., "Analysis of an asymmetric TEM-cell for immunity testing," *Seventh International Conference on Electromagnetic Compatibility*, York, UK, IEE Conference Pub. No. 326, pp. 157-161, 1990.
- Waldron, R. A., "The theory of reflections in a tapered waveguide," *The Radio and Electronic Engineer*, vol. x, no. x, pp. 245-254, Oct. 1966.
- Wan, C., "Conformal mapping analysis of a modified TEM cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 35, no. 1, pp. 109-113, Feb. 1993.
- Weidner, P., "Neuartige GHz-TEM-zelle," *EMC Journal*, vol. x, no. x, pp. 65-67, Jan. 1996.
- Weil, C. M., "The characteristic impedance of rectangular transmission lines with thin center conductor and air dielectric," *IEEE Transactions on Microwave Theory and Techniques*, vol. 26, no. 4, pp. 238-242, Apr. 1978.
- Weil, C. M., and L. Gruner, "High-order mode cutoff in rectangular striplines," *IEEE Transactions on Microwave Theory and Techniques*, vol. 32, no. 6, pp. 638-641, June 1984.
- Weil, C. M., W. T. Joines, and J. B. Kinn, "Frequency range of large-scale TEM mode rectangular strip lines," *Microwave Journal*, vol. 24, no. 11, pp. 93-100, Nov. 1981.
- Weiss, D., "A user's insight into radiated emission testing with GTEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Cherry Hill, NJ, pp. 157-162, 1991.

Welinder, J., J. Carlsson, L. Hasselgren, E. Rodriguez, "Simulated behavior of fully anechoic rooms for measurement of radiated emissions," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 277-280, 1999.

Wieckowski, T. W., and Z. M. Jaskiewicz, "GTEM cell in EMC measurements - summary," *EMC 96 International Wroclaw Symposium on Electromagnetic Compatibility*, Wroclaw, Poland, pp. 390-393, 1996.

Williams, D. L., W. H. McGinnis, and M. Idoguchi, "Whole-vehicle susceptibility correlation with laboratory test techniques," *IEEE International Symposium on Electromagnetic Compatibility*, Anaheim, CA, pp. 214-218, 1992.

Williams, K., "A method for inter laboratory stripline susceptibility test calibration," *IEEE Electromagnetic Compatibility Society National Symposium*, Denver, CO, pp. 90-92, 1989.

Wilson, P. F., "Higher-order mode field distribution in asymmetric TEM cells," *URSI International Symposium on Electromagnetic Theory*, Stockholm, Sweden, Aug. 1989.

Wilson, P. F., "Higher-order mode field distribution in asymmetric transverse electromagnetic cells," *Radio Science*, vol. 26, no. 2, pp. 551-557, Mar.-Apr. 1991.

Wilson, P., "On correlating TEM cell and OATS emission measurements," *IEEE Transactions on Electromagnetic Compatibility*, vol. 37, no. 1, pp. 1-16, Feb. 1995.

Wilson, P., "On simulating OATS near-field measurements via GTEM cell measurements," *IEEE International Symposium on Electromagnetic Compatibility*, Dallas, TX, pp. 53-57, 1993.

Wilson, P. F., and D. C. Chang, "Mode coupling by a longitudinal slot for a class of planar waveguiding structures: Part I - Theory," *IEEE Transactions on Microwave Theory and Techniques*, vol. 33, no. 10, pp. 981-987, Oct. 1985.

Wilson, P. F., and D. C. Chang, "Mode coupling by a longitudinal slot for a class of planar waveguiding structures: Part II - Applications," *IEEE Transactions on Microwave Theory and Techniques*, vol. 33, no. 10, pp. 988-993, Oct. 1985.

Wilson, P. F., D. C. Chang, and M. T. Ma, "Input impedance of a probe antenna in a TEM cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 26, no. 4, pp. 154-161, Nov. 1984.

Wilson, P. F., D. C. Chang, M. T. Ma, and M. L. Crawford, "Theoretical and experimental analysis of coupling characteristics of dual TEM cells," *IEEE International Symposium on Electromagnetic Compatibility*, Washington, DC, pp. 513-517, 1983.

Wilson, P., H. Garbe, and D. Hansen, "A simulation of site attenuation in anechoic chambers: try before you buy," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 311-316, 1991.

Wilson, P., F. Gassmann, and H. Garbe, "Theoretical and practical investigation of the field distribution inside a loaded/unloaded GTEM cell," *International Zurich Symposium on Electromagnetic Compatibility*, Zurich, Switzerland, pp. 595-598, 1993.

Wilson, P., D. Hansen, and D. Koenigstein, "Simulating open area test site emission measurements based on data obtained in a novel broadband TEM cell," *IEEE Electromagnetic Compatibility Society National Symposium*, Denver, CO, pp. 171-177, 1989.

Wilson, P. F., and M. T. Ma, "Shielding-effectiveness measurements with a dual TEM cell," *IEEE Transactions on Electromagnetic Compatibility*, vol. 27, no. 3, pp. 137-142, Aug. 1985.

- Wilson, P., and M. T. Ma, "Simple approximate expressions for higher order mode cutoff and resonant frequencies in TEM cells," *IEEE Transactions on Electromagnetic Compatibility*, vol. 28, no. 3, pp. 125-130, Aug. 1986.
- Wilson, P. F., and M. T. Ma, "Small obstacle loading in a TEM cell," *IEICE International Symposium on Electromagnetic Compatibility*, Tokyo, Japan, pp. 30-35, 1984.
- Wong, L. K. C., "Backplane connector radiated emission and shielding effectiveness," *IEEE International Symposium on Electromagnetic Compatibility*, Anaheim, CA, pp. 346-351, 1992.
- Woody, J. A., and C. A. Paludi, Jr., "Modeling techniques for discrete passive components to include parasitic effects in EMC analysis and design," *IEEE International Symposium on Electromagnetic Compatibility*, xx, xx, pp. 39-45, 1980.
- Wriedt, T., K. -H. Wolff, F. Arndt, and U. Tucholke, "Rigorous hybrid field theoretic design of stepped rectangular waveguide mode convertors including transitions into half-space," *IEEE Transactions on Microwave Theory and Techniques*, vol. 37, no. 6, pp. 780-790, June 1989.
- Yang, S. -X., "Accurate measurement on radiated susceptibility of sound and TV broadcasting receivers with a TEM cell," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 640-642, 1994.
- Yang, S. -X., "The calibration of field strength metres and antenna factors with a TEM cell," *IEICE International Symposium on Electromagnetic Compatibility*, Sendai, Japan, pp. 786-789, 1994.
- Yuan, N., C. Ruan, and W. Lin, "On the characteristic impedance of a coaxial line with elliptic cone outer conductor and angular strip inner conductor," *International Journal of Infrared and Millimeter Waves*, vol. 13, no. 10, pp. 1633-1639, 1992.
- Yun, J. H., H. J. Lee, and J. K. Kim, "Design and analysis of six port-TEM cell for generating standard electromagnetic fields," *Electronics Letters*, vol. 32, no. 23, pp. 2127-2128, Nov. 7, 1996.
- Yun, J. H., H. J. Lee, and J. K. Kim, "Generation of the standard EM fields with arbitrary wave impedance at the center of a TEM cell," *IEICE Transactions on Communications*, vol. E81-B, no. 6, pp. 1286-1289, June 1998.
- Zhang, J., "A note on the cutoff frequency of TE_{01} mode in TEM cells," *IEEE Transactions on Electromagnetic Compatibility*, vol. 33, no. 2, pp. 145-146, May 1991.
- Zhang, C., and J. Fu, "Calculating resonant frequencies of TEM cells by the finite-difference-time domain method," *IEICE International Symposium on Electromagnetic Compatibility*, Nagoya, Japan, pp. 141-143, 1989.
- Zhang, C., and J. Fu, "Efficient calculation of asymmetric TEM cell impedance using boundary element method," *IEMCS-92 International EMC Symposium*, Singapore, pp. 220-222, 1992.
- Zhang, J., and J. Fu, "Higher order mode cutoff frequencies in TEM cells calculated with TLM method," *IEEE Transactions on Electromagnetic Compatibility*, vol. 30, no. 4, pp. 563-567, Nov. 1988.
- Zhou, B., Z. Chen, and Z. Chen, "Experimental investigation of the versatile EMP simulator," *International Symposium on Electromagnetic Compatibility EMC '92*, Beijing, China, pp. 33-35, 1992.

Zhou, C., J Miao, X. Feng, and D. Xu, "The measurement and analysis of radiated power for program control mini-switchboard," *International Symposium on Electromagnetic Compatibility EMC '97*, Beijing, China, pp. 368-370, 1997.

Zhou, X., "Novel method of calculating the characteristic impedance of a coaxial transmission line of arbitrary cross-section," *IEE Proceedings - Microwaves, Antennas, and Propagation*, vol. 141, no. 5, pp. 423-427, Oct. 1994.